



Sheet 1 of 1

									ATTY. DOCKET NO. SERIAL NO.						
							S00-229/US Not assigned APPLICANT								
LIST	_					D BY API necessary	Michael E. Webber et al.								
	`					•	FILING DATE GROUP								
•							Filed herewith Not assigned								
						U.S.	DCUMENTS								
EXAMINER INITIAL				MEN BER		DATE	N	AME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE				
	A														
	В		╅	十											
			\dagger	+		 		· <u>-</u>							
	С		I												
FOREIGN PATENT DOCUMENTS DOCUMENT ISSUE COUNTRY CLASS SUBCLASS TRANSLATION															
				MEN BER		ISSUE	Co	UNTRY	CLASS	SUBCLASS	TRANSLATION				
											YES NO				
	I		\bot						<u> </u>						
	J K	-	+	╀		ļ									
	N			<u></u>											
	1 4	OTI	HE	R P	RIO	RART (Ir	cluding Autho	or, Title, Date, I	Pertinent F	ages, Etc.)	o tumoblo in				
m	1	R. K. Hanson et al.; "High-resolution spectroscopy of combustion gases using a tunable in diode laser;" AUGUST 1977/VOL. 16, NO. 8/APPLIED OPTICS, PP 2045													
0 ,		1			-,				,						
	2	Ala	in C	C.E	perature and s	pecies									
		COL	icei Mit	ntrai	tion ii Tion	n combust V THE CO	ion;" EIGHTE DMBUSTION	NIERNAIIC	IONAL) ON						
	_		1111	000	-1101	, IIII C	<u> </u>	INDITIOIL,	1701						
	Ronald K. Hanson; "Combustion diagnostics: planar imaging techniques;" T									VENTY-FIRST					
		SUMPOSIUM (INTERNATIONAL) ON COMBUSTION/THE COMBUSTINSTITUTE, 1986/PP. 1677-1691								COMBUSTI	ON				
		1114	211	10	11., I	700/IT. I	511-1051								
	4		Danel T. Cassidy et al.; "Trace gas detection with short-external-cavity InGaAsP diode lase												
		transmitter modules operating at 1.58 um;" APPLIED OPTICS/VOL. 27, NO. 13/1 JULY 1988									13/1 JULY				
	 	19	00												
	5	Bri	an	F. V	entru	ido et al.;	'Operating cha	aracteristics of a	tunable c	liode laser ab	sorption				
-		spe	Brian F. Ventrudo et al.; "Operating characteristics of a tunable diode laser absorption spectrometer using short-external-cavity and DFB laser diodes;" 20 NOVEMBER												
 		1 199) (/)	VOI	ے. 29,	NO.33/ A	PPLIED OPT	ICS	· <u>-</u>						
	6	Lo	uis	C. I	Philip	pe et al: "I	Laser-absorption	on mass flux se	nsor for hi	igh-speed air	flows;"				
								ECEMBER 15			· ·				
			T-			1 44 4 7					**************************************				
1	7	M_{an}	M. P. Arroyo et al.; "Absorption measurements of water-vapor concentration, temperature, and line-shape parameters using a tunable InGaAsP diode laser;" APPLIED OPTICS/ VOL.												
m.		32	NO	D. 3	0/ 20	OCTOBE	R 1993, PP. 6	104							

		_	
jn	8		M. P. Arroyo et al.; "Diode-laser absorption technique for simultaneous measurements of multiple gas dynamic parameters in high-speed flows containing water vapor;" APPLIED OPTICS/ VOL. 33, NO. 15/ 20 MAY 1994, PP. 3296
	9		M. pilar Arroyo; "Dual diode-laser fiber-optic diagnostic for water-vapor measurements;" JULY 15, 1994/ VOL. 19, NO. 14/ OPTICS LETTERS, PP. 1091
10 P	E 10/C		D. S. Beer et al.; "Multiplexed diode-laser sensor system for simultaneous H ₂ O, O ₂ , and temperature measurements;" OPTICS LETTERS/ VOL. 19, NO. 22/ NOVEMBER 15, 1994
FIB	5.7902	J	Wade C. Eckhoff; "A continuously tunable long-wavelenghth cw IR source for high-resolution spectroscopy and trace-gas detection;" APPL. PHYS. B 63, 437-441, 1996
- Constant	12		David M. Sonnenfroh et al.; "Diode laser sensors for combustor and aeroengine emissions testing: applications to CO, CO ₂ ,OH, and NO;" 19 TH AIAA ADVANCED MEASUREMENT AND GROUND TESTING TECHNOLOGY CONFERENCE, JUNE 17-20, 1996/ NEW ORLEANS, LA
	13		H. Q. Le, et al.; "Broad wavelength tenability of grating-coupled external cavity midinfrared semiconductor lasers;" APPL. PHYS. LETT. 69 (19), 4 NOVEMBER 1996, PP. 2804
	14		M. Gabrysch; "Simultaneous detection of CO and CO ₂ using a semiconductor DGB diode laser at 1.578 um;" APPL. PHYS. B65, 75-79 (1997)
	15		Anders P. Larson et al.; "Evaluation of distributed bragg reflector lasers for high-sensitivity near-infrared gas analysis;" OPT. ENG. 36 (1) 117-123 (JANUARY 1997)
	16		R. K. Hanson et al.; "Recent advances in laser-based combustion diagnostics;" 35 TH AEROSPACE SCIENCES MEETING & EXHIBIT, JANUARY 6-10, 1997/ RENO, NV
	17		R. Villarreal et al.; "Temperature and CO ₂ concentration profiles in flames measured by laser absorption tomography;" 35 TH AEROSPACE SCIENCES MEETING AND EXHIBIT, JANUARY 6-9, 1997/RENO, NV
	18		David Christian Hovde et al; "Wavelength modulation detection of water vapor with a vertical cavity surface-emitting laser;" 20 FEB. 1997/ VOL. 36, NO. 6/APPLIED OPTICS
	19		Shang-I Chou et al.; "Diode laser absorption measurements of CH ₃ CI and CH ₄ near 1.65um;" APPLIED OPTICS/ VOL. 36, NO. 15/20 MAY 1997
	20		William J. Kessler et al.; "Near IR diode lasers for In-Situ measurements of combustor and aeroengine emissions;" 33RD AIAA/ASME/SAE/ASEE JOINT PROPULSION OCNFERENCE, JULY 6-9, 1997/ SEATTLE, WA
	21		Bernard L. Upschulte et al.; "diode laser measurements of line strengths and self-broadening parameters of water vapor between 300 and 1000K near 1.31 um;" J. QUANT. SPECTROSC. RADIAT. TRANSFER VOL. 59, NO. 6,PP.653-670, 1998
ju	222		R. M. Mihalcea et al.; "Advanced diode laser absorption sensor for in situ combustion measurements of CO ₂ , H ₂ O, and gas temperature;" TWENTY-SEVENTH SYMPOSIUM (INTERNATIONAL) ON COMBUSTION/ THE COMBUSTION INSTITUTE, 1998/ PP. 95-101
		1	

ju	23	absorption sensors:" TWENTY-S	me adaptive combustion control using diode-laser EVENTH SYMPOSIUM (INTERNATIONAL) ON TION INSTITUTE, 1998/ PP. 103-111					
~	24	Bernard L. Upschulte et al.; "In-si diode laser;" 36 TH AEROSPACE (1998/ RENO, NV	tu, multi-species combustion sensor using a multi-section SCIENCES MEETING & EXHIBIT, JANUARY 12-15,					
EXAMIN	ER	Jil Cla	DATE CONSIDERED 9/23/03					
* EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.								



P490 45

FORM PTO-1449U.S. DEPARTMENT OF COMMERCE ATTY. DOCKET NO. SERIAL NO. Not assigned Not as										or I								
LIST OF PRIOR ART CITED BY APPLICANT APPLICANT Michael E Webber et al.									E.S.									
(Use several sheets if necessary)										')	ŀ	FILING DATE		GROUP 8				
** ** ** ** ** ** ** ** ** ** ** ** **											_	Filed herewith Not assigned						
EXAMINER	U.S. PATENT DOCUMENTS DOCUMENT DATE NAME CLASS SUBCLASS FILING DATE											DIC DATE						
INITIAL					MB				DATE	IV	AWE	CLASS	31	DBCLASS	IF APPROPRIATE			
m	A	5	1	7	8	0	0	2	1/12/93	Hanson			73 1		7.4	10/	18/91	
,	В																	
	С																	
	D					П												
	E				r L													
	F				19	П												
	G				·													
	Н				14													
, ,					, ,				FOREI	GN PATENT	Γ)	DOCUMENTS		- L				
	DOCUMENT ISSUE COUNTRY CLASS SUBCLASS TRANSI									NSLATION								
				NUMBER					DATE							YES NO		
	I													Ţ.				
	J K		-	\dashv	Н	Н		Н										
			L CO	H)	Ш ER	L P	L RI	OR	ART (Ir	ncluding Autho	OI	r, Title, Date, Pe	rtinent P	age	s. Etc.)			
	L	T	D	. M	1. S	Son	nei	nfr	oh et al.; '	"Observation of	of	CO and CO, at	sorption	nea	ir 1,57 un	n witl	n an	
~		external-cavity diode laser;" Appl. Opt., 36 (15): 3298-3300, 1997																
	M	+	R. M. Mihalcea et al.; "Diode-Laser sensor for measurements of CO, CO ₂ , and CH ₄ in									in						
		1	cc	ml	bus	stio	n f	lov	vs;" Appl	. Opt., 36:8745	5-	-8752, 1997						
	N	H	R	. M	<u></u> I. N	I ih	ıalc	ea	et al.; "D	oiode-Laser abs	SC	orption sensor fo	r combu	stio	n emissic	n		
		Ш								ci. Technol. 9:								
	N1		R	. M	<u>. N</u>	A if	ialc	ea	et al.: "D	oiode-laser abso	01	rption measuren	nents CO), F	I ₂ O. N ₂ O	and	NH, near	
		\perp								57: 283-288, 1				۷,	2 , 2		,	
	N2		R		<u> </u>	Лił	alc	ea	et al · "D	iode-Laser me	2.2	surements of CO	near 2	201	ım at elev	ated		
			te	mp	era	atu	res	;" /	Appl. Opt	., 37 (36): 834	11	-8347, 1998	J ₂ 110a1 2			aioa	1	
	N3	+	V	N	20	ali	et	<u>al ·</u>	"Tunahl	e diode-lacer a	h	sorption measur	ements c	of m	ethane at	eleve	ated	
	. 13	oxed								:., 35 (21): 402				,ı 111	cuiane al	CICVE	atou	
_	N4	+	ī	<u> </u>	D.	001	ami	an:	"The LIT	TRAN molecu	11.	ar spectroscopic	databass	. 0 ==	- II A 13712	Ç /LII	ITD A NI	
	~ L 1~1		at	. s. mo 998	spl	her	ric v	wo	rkstation));" 1996 edition	n.	. J. Quant. Spect	rosc. Ra	diat	. Transfei	s (H) r, 60:	665-710,	
1		П	_		f;							-						

m	N5	L. S. Rothman et al.; "Energy levels, intensities, and linewidths of atmospheric carbon dioxide bands;" J. Quant. Spectrosc. Radiat. Transfer, 48:537-566, 1992
		A
	N6	L. Rosenmann et al.; "Accurate calculated tabulations of IR and Raman CO ₂ , H ₂ O, N ₂ , O ₂ in the 300-2400 K temperature range;" Appl. Opt., 27 (18): 3902-3907, 15 September 1988
	N7	S. T. Sanders et al.; "Diode laser absorption sensor for measurements in pulse detonation engines;" Paper number 2000-0358, AIAA 38 th Aerospace Sciences Conference, Reno, NV, January, 2000
	N8	D. S. Baer et al.; "Scanned- and fixed-wavelength absorption diagnostics for combustion measurements using multiplexed diode lasers;" AIAA Journal, 34 (3): 489-493, March 1996
1		
	N9	Mark G. Allen et al.; "Diode laser absorption sensors for gas dynamic and combustion flows;" Measurement Science and Technology 9(4), 545-562(1998)
	7 = 1	
	N10	Michael E. Webber et al.;" In situ combustion measurements of CO, CO ₂ , H ₂ O and temperature using diode laser absorption sensors;" Proceedings of the Combustion Institute, Volume 28, 2000/pp. 407-413
	N11	Michael E. Webber et al.; "Measurements of NH ₃ and CO ₂ with distributed-feedback diode lasers near 2.0 um in bioreactor vent gases;" 20 August 2001/Vol. 40, No. 24/ Applied Optics
an	N12	"Final report: Multiplexed diode-laser gas sensor system for in situ multi-species emissions measurements;" National Center for Environmental Research, Office of Research and Development, U.S. Environmental Protection Agency; Last updated: March 9, 2001
	$\downarrow \downarrow \downarrow$	
	<u> </u>	
EXAMIN	NER	DATE CONSIDERED 9/23/03

* EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.